EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	("2005/0076306").URPN.	USPAT	OR	ON	2007/02/28 10:09
L6	11	(portal or portlet) with (revenue adj shar$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:01
L7	0	product adj regestration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:01
L8	814	product adj registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:01
L9	7	l8 with (user adj information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 13:02

L12	48	(US-20030090516-$ or US-20040147261-$ or US-20030132970-$ or US-20020196276-$ or US-20040070609-$ or US-20020149618-$ or US-20030007003-$ or US-20020174230-$ or US-20050044508-$ or US-20040216054-$ or US-20040003347-$ or US-20050065913-$ or US-20050021935-$ or US-20030046401-$ or US-20040250213-$ or US-20030030667-$ or US-20030126136-$ or US-20020145627-$ or US-20020070978-$ or US-20020130902-$ or US-20030197727-$ or US-20040104931-$).did. or (US-5551055-$ or US-7073130-$ or US-5596702-$ or US-6081265-$ or US-6791581-$ or US-5990885-$ or US-6252589-$ or US-7080323-$ or US-5600781-$ or US-6342905-$ or US-6483523-$ or US-6944846-$ or US-6976218-$ or US-6915486-$ or US-7086007-$ or US-7076737-$ or US-6262726-$ or US-5535321-$ or US-7003729-$ or US-6078322-$ or US-6362836-$ or US-7174514-$ or US-7127232-$ or US-6968364-$).did. or (WO-2005073849-$ or US-20020054086-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/28 13:06
L13	43	l12 and background	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/28 14:31
L14	22	l12 and customer	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/28 14:38
L15	3	(determine adj customer) with (user adj information)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/28 14:39
L16	48	associate near2 user near5 customer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:35

L17	33	associate near2 user near3 customer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/28 15:36
S2	638	(model adj view adj controller) or (model-view-controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 10:56
S3	48	S2 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:11
S4	544	715/762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 11:11
S5	14	S4 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:17
S6	405	715/866.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:17
S7	14	S6 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:21

S8	60	715/962.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:28
S9	0	S8 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:22
S10	1259	715/764.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:28
S11	24	S10 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:34
S13	562285	(user adj interface adj skin) or (UI adj skin) or (user-interface adj skin) or (userinterface agj skin) or (graphical adj interface adk skin) or (graphical-interface adj skin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:53
S14	1846	(default or primary) near2 S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:37
S15	84	S14 and ((user or client) near2 (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:51

S17	2240	(determine or obtain) adj S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:52
S18	492	(determine) adj S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:53
S19	562076	(user adj interface adj skin) or (UI adj skin) or (user-interface adj skin) or (userinterface adj skin) or (graphical adj interface adk skin) or (graphical-interface adj skin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:54
S20	492	(determine) adj S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:53
S21	59	(user adj interface adj skin) or (UI adj skin) or (user-interface adj skin) or (userinterface adj skin) or (graphical adj interface adj skin) or (graphical-interface adj skin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 09:51
S22	1	"09825518"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 12:57
S23	387169	(user adj interface) or (UI) or (user-interface) or (userinterface) or (graphical adj interface) or (graphical-interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 13:04

S24	27	method adj (determin$3 or select$3 or choos$3 or obtain$3) adj S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:34
S25	14	skinnable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:05
S26	66	S4 and ((determine or decide or detect or verify or elect or obtain) near3 S23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:26
S27	1456	(plurality or collection or group) adj S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:32
S30	554	S27 and default	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/09 14:33
S31	165	(determin$3 or select$3 or choos$3 or obtain$3) near5 S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 08:56
S32	1	"7149747"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 08:56

S33	8	("20020033850" | "5877766" | "6072490" | "6243088" | "6404446" | "6560633" | "6792607" | "6853391"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/10 09:01
S34	0	("7149747").URPN.	USPAT	OR	ON	2007/01/10 09:02
S35	59	(user adj interface adj skin) or (UI adj skin) or (user-interface adj skin) or (userinterface adj skin) or (graphical adj interface adj skin) or (graphical-interface adj skin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 09:52
S36	227	(user adj interface near3 skin) or (UI near3 skin) or (user-interface near3 skin) or (userinterface near3 skin) or (graphical adj interface near3 skin) or (graphical-interface near3 skin) not S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/10 09:52
S37	262	715/745.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 14:50
S38	17	S37 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 13:07
S39	2	S37 and (skinnable or skinable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 13:07
S40	22	S37 and theme	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 13:13

S41	261	S37 not (S38 and S39 and S40)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:07
S42	114	715/746.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:11
S43	193	715/747.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:12
S44	638	715/744.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:35
S45	1	08/049,770	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/24 15:48
S46	2	"6025836".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 07:31
S47	13	("6025836").URPN.	USPAT	OR	ON	2007/02/27 08:00
S48	5	("5551055" | "5613122" | "5630131" | "5778356" | "5900871").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 08:32
S49	1	"20060053384"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 08:34

EAST Search History

S50	442	((partner or company or business or store or user) adj specific) with ((user adj interface) or UI)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:21
S51	176	((partner or company or business or store or user) adj specific) near4 ((user adj interface) or UI)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 08:36
S52	4	("2002/0196276").URPN.	USPAT	OR	ON	2007/02/27 09:32
S53	212	interface adj template	USPAT	OR	ON	2007/02/27 09:33
S54	0	S53 and S50	USPAT	OR	ON	2007/02/27 09:33
S55	7	((partner or company or business or store or user) adj specific) and S53	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 09:36
S56	266	S50 not S51	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 09:36
S57	118	S56 and install$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:12
S58	468	(user adj data) with install$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:12
S59	13	S58 and (skin$5 or theme)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:14
S60	45	((partner or company or business or store or user) adj specific) with (skin$5 or theme)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:25
S61	15	skinnable	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/27 10:27
S62	15	skinnable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 10:31
S63	138	default adj (skin or theme)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 10:38

EAST Search History

S64	61	(skin or theme) adj manager	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:02
S65	510	associate near3 user near2 group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:03
S66	258	S65 and (appearance or layout or skin or theme)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:06
S67	131	715/735.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:07
S68	267	715/745.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:17
S69	114	715/746.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:09
S70	79	715/789.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 12:09
S71	0	("2005/0044508").URPN.	USPAT	OR	ON	2007/02/27 12:19

S72	40	(US-20030126136-$ or US-20020070978-$ or US-20040216054-$ or US-20040250213-$ or US-20030046401-$ or US-20020174230-$ or US-20030007003-$ or US-20030090516-$ or US-20030030667-$ or US-20020145627-$ or US-20020130902-$ or US-20040147261-$ or US-20020149618-$ or US-20020196276-$ or US-20040070609-$ or US-20040003347-$ or US-20050021935-$ or US-20030132970-$ or US-20050044508-$).did. or (US-5596702-$ or US-7080323-$ or US-6791581-$ or US-7073130-$ or US-7003729-$ or US-7086007-$ or US-7076737-$ or US-6483523-$ or US-6915486-$ or US-6342905-$ or US-6081265-$ or US-6976218-$ or US-6262726-$ or US-5990885-$ or US-5600781-$ or US-5535321-$ or US-6252589-$ or US-6944846-$ or US-5551055-$).did. or (US-20020054086-$ or WO-2005073849-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 12:31
S73	27	S72 and group	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 12:49
S74	1609	group adj attributes	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:51
S75	0	S74 and S58	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:52
S76	37	S74 and S50	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:56
S77	0	(user adj data) near3 intall$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:56
S78	0	(user adj data) near5 intall$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:56

S79	0	(user adj data) near8 intall$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:56
S80	130	(user adj data) near3 install$5	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:57
S81	46	S80 and group	US-PGPUB; USPAT; DERWENT	OR	ON	2007/02/27 13:57
S82	167	S68 and group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:12
S83	0	("2002/0167542").URPN.	USPAT	OR	ON	2007/02/27 14:29
S84	0	skinable	USPAT	OR	ON	2007/02/27 14:29
S85	6	skinable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:30
S86	15	skinnable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 14:30
S87	22	(determine or select or obtain) near2 interface near2 (skin or layout or theme)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:07
S88	561	715/762.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:43

S89	327	S88 and group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 15:42
S90	103	S89 and install$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:04
S91	20148	plurality near2 (skin or theme or layout or template or format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:04
S92	4990	plurality adj (skin or theme or layout or template or format)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:05
S93	3430	plurality adj (skin or theme or layout or template)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:05
S94	402	S92 and "715"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:06
S95	118	S94 and install$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 16:06

S96	114	715/746.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:32
S97	131	715/735.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:33
S98	647	715/744.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:35
S99	253	S98 and install$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/27 17:35